


QtPass

Anne Jan Brouwer
IJhack

FOSDEM 2017-02-04

About me

- Anne Jan Brouwer
- Developer / Hacker
- Co-founder of **IJhack**
- Sr. Developer at NoProtocol



QtPass


Current version 1.1.6

Working on 1.2 release

In the beginning

- Working at a full service bureau
- Lots of clients, lots of projects
- Many secrets per project
 - Login
 - Social
 - APIs
 - etc..
- Sometimes working with external developers

Before



No sane way to share

NOISE TO SIGNAL
Rob Cottingham · socialsignal.com/n2s



**But we can't break up! Think of all the passwords
we'd have to change!**

What we needed

- Store passwords securely
- Able to share with co-workers
- Able to share with externals
- Preferably open standards
- Preferably open source
- Easy to use
 - Developers
 - Managers

Pass

- The standard UNIX password manager
- passwordstore.org
- Bash
- GPG
- Git
- Tree
- Pwgen

Pass


```
[annejan@anuspap ~]$ pass
Password Store
├── share
│   ├── another
│   │   └── test
│   │       ├── another test
│   │       ├── lol ok
│   │       ├── test123
│   │       ├── test
│   │       └── testing 1 2 3
│   └── test
└── test
    ├── another test
    ├── little more
    ├── lol
    ├── more
    ├── more testing here
    ├── new file
    ├── some longer name goes here
    ├── test
    │   ├── lol
    │   ├── nice :- )
    │   ├── rest
    │   └── test
    └── test

[annejan@anuspap ~]$
```

Pass

- Developers loved it
 - Automatable
 - Can use tokens
 - GPGcard
 - Yubikey
 - Etc..
 - Management fears CLI
- :-)

QtPass



QtPass

- PoC created in 2 nights
- Using **pass** and **git**
- Read only
- Put on **github**
- Mail to passwordstore mailinglist
 - 1 August 2014
- Quick little hackathon for translations
- Added “native” mode

QtPass



This repository Search

Pull requests Issues Gist



IJHack / QtPass

Unwatch 35

Unstar 319

Fork 69

Code

Issues 42

Pull requests 0

Projects 2

Pulse

Graphs

Settings

QtPass is a multi-platform GUI for pass, the standard unix password manager. <https://qtpass.org/>

Edit

c-plus-plus

git

gpg

password-generator

password-manager

password-vault

qt5

Manage topics

1,878 commits

6 branches

24 releases

41 contributors

GPL-3.0

Branch: master

New pull request

Create new file

Upload files

Find file

Clone or download




annejan Travis Qt58

Latest commit 3e60ed8 8 hours ago

| | | |
|---------------|--|---------------|
| artwork | Doxygen | 8 months ago |
| icons | Cleaned-up icons by @jsimplicio via #143 (comment) | a year ago |
| localization | Fixed (some) translations | 8 days ago |
| src | Some code fell out of my buffer | 15 days ago |
| tests | use win32 crypt api for password generation on windows | 18 days ago |
| .appveyor.yml | switch to mingw version | 17 days ago |
| .coafle | Added coala bears and did some minor cleanup | 10 months ago |
| .gitignore | Added doc/qtpass.1 from @innir and some minor cleanup | 9 months ago |


QtPass




QtPass

- Easter 2015
- Pull requests
- Reimar Döffinger
- Adding / Editing
- Basic user management
- Windows Fixes

QtPass




QtPass



QtPass

- 1 August 2015
- 1 year celebration
- 1.0 release party
- Cafe Batavia 1920
- Translation hackathon
- IJduino workshop
- Beers

QtPass



QtPass

QtPass is a GUI for pass, the standard unix password manager.

Please report any issues you might have with this software.

Documentation

SourceCode

QtPass

Clear the password display after some time #86

[Edit](#)[New Issue](#)**Closed**

karlgrz opened this issue on Aug 5 · 5 comments



karlgrz commented on Aug 5

I briefly searched through the open and closed issues to see if this was already mentioned, so forgive me if I missed it.

I see the "Hide Password" and "Hide Content" options in Config, but what I think would be cool is if the password / content window respected the "Autoclear" option and duration.

For example, if I have "Autoclear" set to 25 seconds, and "Hide Password" and "Hide content" unchecked, it would be great if that panel was cleared out when the clipboard was cleared out.

If this is something that sounds good I'd love to give it a shot implementing it if you would point me in the right direction. I haven't touched C++ in ages, heh.

Labels

None yet

Milestone

No milestone

Assignee

No one—assign yourself

Notifications **Unsubscribe**

You're receiving notifications

QtPass



annejan commented on Aug 5

Owner



I would prefer adding a separate checkbox (and number box) for this option.

In short adding a configurable feature requires you to:




- 1) Add (private) variable(s) in `mainwindow.h`
- 2) Add the stuff in `dialog.cpp` (and `.h` and `.ui`) for the config interface.
- 3) In `mainwindow.cpp` read variables from settings in `checkConfig` method.
In `config` set variables in dialog, read them back (after ok) and update settings.
- 4) Use them new variables :-)

I think it's a smart thing to do this kind of thing in a separate branch in git.

QtPass

Issue 86 clear panel #87


Merged **annejan** merged 2 commits into **IJHack:master** from **karlgrz:issue-86-clear-panel** on Aug 6

 Conversation **3**  Commits **2**  Files changed **6**




karlgrz commented on Aug 6


Implemented a "Autoclear panel" checkbox and corresponding duration control in the Config tab.



QtPass



QtPass



The screenshot shows the QtPass application window. The title bar reads "Password /home/annejan/.password-store/test...". The interface includes a password field with masked characters (dots) and a "Generate" button. Below this is a checkbox labeled "Show password" which is currently unchecked. There are four input fields for storing information: "url" (containing "http://qtpass.org"), "login" (containing "lol"), "nog een veld" (containing "met info"), and "hihi" (containing "cool"). At the bottom is a large text area labeled "meer info" which is currently empty. The window has standard OS window controls (minimize, maximize, close) and a status bar at the bottom with "OK" and "Cancel" buttons.

Password /home/annejan/.password-store/test...

..... Generate

☐ Show password

url http://qtpass.org

login lol

nog een veld met info

hihi cool

meer info

OK Cancel


QtPass

- Doing CI
- Travis
 - Linux
 - macOS
- Coverity
 - Static code analysis

QtPass

```
language: cpp
os:
- linux
- osx
compiler:
- gcc
- clang
script:
- qmake -v
- qmake -Wall qtpass.pro
- make -j$(nproc)
notifications:
  irc:
    channels:
      - chat.freenode.net#IJhack
    on_success: change
    on_failure: always
```

QtPass



QtPass

install:

- ```
- set QTDIR=C:\Qt\5.7\mingw53_32
- choco install -y InnoSetup
- set PATH=%QTDIR%\bin;C:\Qt\Tools\mingw530_32\bin;%PATH%;"C:\Program Files (x86)\Inno Setup 5"
```

```
build_script:
```

- ```
- qmake qtpass.pro CONFIG+=static
- mingw32-make
```

#after_build:

- ```
- cmd: copy README.md src\release\README.txt
- cmd: copy LICENSE src\release\LICENSE.txt
- iscc qtpass.iss
```

artifacts:

- path: Output\qtpass-\*.exe
- path: src\release\qtpass.exe

deploy:

```
provider: GitHub
```

auth\_token:

secure: YfscG1DR0+kApThPXxQsr+ZEjUOUlIG0Tqc5+90IFsUInyICRRMdbJsboxR2qhQ/p

```
artifact: /qtpass-[0-9]+\.[0-9]+\.[0-9]+\..exe/
```

draft: true

```
prerelease: false
```


on:

```
appveyor_repo_tag: true
```


# QtPass

- More people contributing
- UX changes
- Iconography
  - Native
  - Fallback SVGs
- Lots of features
- 1.1 release

# QtPass




# QtPass



# QtPass

- Currently working on 1.2 release
- Active contributors
- Refactoring
- Unit tests
- UI and UX changes

# QtPass



QtPass



qtpass.org

QtPass



qtpass.org