

Advanced localization topics



WEBLATE

Michal Čihař <michal@weblate.org>

<https://weblate.org/>

Weblate

- Web based localization tool
- Version control integration
- Focus on providing translators context

Importing translations

- Use VCS, ZIP or start from scratch
- Automatic detection of formats
- 31 supported file formats
 - Still we lack some popular ones (XLIFF 2, Fluent, some JSON variants)

Add new translation component

Choose translation files to import

- Specify configuration manually
- File format** `Android String Resource`, **Filemask** `app/src/main/res/values-*/strings.xml`
- File format** `gettext PO file`, **Filemask** `weblate/langdata/locale/*/LC_MESSAGES/django.po`
- File format** `gettext PO file`, **Filemask** `weblate/locale/*/LC_MESSAGES/django.po`
- File format** `gettext PO file`, **Filemask** `weblate/locale/*/LC_MESSAGES/djangojs.po`

Continue

Quality checks

- Verify that translations are semantically correct
- XML markup, format strings, ...
- Configurable by flags

< < Failed check: Python format 1/1 > >

Zen

Translation

English *✎* **Context:** Question for a mathematics-based CAPTCHA, the %s is an arithmetic problem

What is %s?

Czech [Clone source](#) *🌐* *↔* *↔* *↔* *...* *NBS* *↔* *↔* *↔* *-* *-* *-*

Kolik to je?

Needs editing ⓘ 12/110

[Save](#) [Suggest](#) [Skip](#)

Nearby strings **7** Comments Machine translation Translation memory Other languages History

Context	English	Czech	State
	Total	Celkem	✓
	Failing check	Neúspěšných kontrol	✓
	Last activity	Poslední aktivita	✓
	Last change	Poslední změna	✓
	Last author	Poslední autor	✓
Question for a mathematics-based CAPTCHA, the %s is an arithmetic problem	What is %s?	Kolik to je?	⚠
	The string uses three dots (...) instead of an ellipsis character (...)		📄

Things to check

Python format ⓘ ⓘ

Following format strings are wrong: %s

[Dismiss](#) [Dismiss for all languages](#)

Glossary *✎*

English **Czech**

No related strings found in the glossary.

[+ Add word to glossary](#)

Source information ⓘ

Screenshot context *✎*

No screenshot currently associated!

Context *✎*

Question for a mathematics-based CAPTCHA, the %s is an arithmetic problem

Flags *✎*

python-format

Source string location

weblate/accounts/forms.py:450

Source string age

3 minutes ago

Translation file

.....

Flags

- Customize per string behavior
- Define length of strings, regular expression to check, placeables, ...
- Can be parsed from the translation files

Navigation: Home, Back, Search All strings, 22 / 26, Forward, End

Translation

English Last activity

Czech Poslední aktivita

Needs editing 17/15

Clone source [Icons]

Save **Suggest** **Skip**

Nearby strings 10 Comments Machine translation Translation memory Other languages History

Context	English	Czech	State
	Review translations touched by other users.	Zkontrolovat překlady od ostatních uživatelů.	✓
	Start review	Začít kontrolu	✓
	Percent	Procenta	✓
	Total	Celkem	✓
	Failing check	Neúspěšných kontrol	⚠
	Last activity	Poslední aktivita	⚠
	Last change	Poslední změna	✓
	Last author	Poslední autor	✓
Question for a mathematics-based CAPTCHA the %s is an arithmetic problem	What is %e?	Klík to ie?	⚠

Things to check

⚠ Maximum length of translation 1

Translation should not exceed given length

Dismiss **Dismiss for all languages**

Glossary

English Czech

No related strings found in the glossary.

+ Add word to glossary

Source information

Screenshot context
No screenshot currently associated!

Context
No context currently associated!

Flags
max-length:15

Source string location
weblate/templates/translation.html:402

Source string age
3 hours ago

Translation file
weblate/locale/cs/LC_MESSAGES/django.po, string 22

Context

- Translators need to know more about the strings
- Textual context can be provided in the file
- Additional input in Weblate

[|<](#)
[<](#)
[Q All strings](#)
[25 / 26](#)
[>](#)
[>|](#)

Translation ↻

English **Context:** Question for a mathematics-based CAPTCHA, the %s is an arithmetic problem

What is %s?

Czech Clone source

Kolik to je?

Needs editing 12/110

Save
Suggest
Skip

[Nearby strings](#)
[Comments](#)
[Machine translation](#)
[Translation memory](#)
[Other languages](#)
[History](#)

Context	English	Czech	State
	Total	Celkem	✓
	Failing check	Neúspěšných kontrol	⚠
	Last activity	Poslední aktivita	⚠
	Last change	Poslední změna	✓
	Last author	Poslední autor	✓
Question for a mathematics-based CAPTCHA, the %s is an arithmetic problem	What is %s?	Kolik to je?	⚠
	The string uses three dots (...) instead of an ellipsis character (...)		📄

Things to check

⚠ **Python format**

Following format strings are wrong: %s

Reset

Glossary

English Czech

No related strings found in the glossary.

+ Add word to glossary

Source information

Screenshot context
No screenshot currently associated!

Context
Question for a mathematics-based CAPTCHA, the %s is an arithmetic problem

Flags
python-format

Source string location
weblate/accounts/forms.py:450

Source string age
3 hours ago

Translation file

Screenshots

- Textual context is sometimes not good enough
- Screenshots show how exactly string is used

< < All strings 1061 / 2122 > >

Source string **Read only**

Czech

- One**
Jazyk
- Few**
Jazyky
- Other**
Jazyků

Context
Label on enage page

English, Singular
Language

English, Plural
Languages

Plural equation: $n \neq 1$

Needs editing

Save **Suggest** **Skip**

Nearby strings 11 Comments Other languages History

Language	Status	Translation	Edit
Thai		ทษร	Edit

Things to check

Multiple failing checks
The translations in several languages have failing checks

Dismiss **Dismiss for all languages**

Glossary

English English

No related strings found in the glossary.

Add word to glossary

Source information

Screenshot context

Get involved in WeblateOrg

32 STRINGS | 13 LANGUAGES | 97.7% TRANSLATED

Translate **View project languages**

Screenshots management

- Upload any number of screenshots
- Assign them to strings manually or using OCR

Add new screenshot

Screenshot name

Image

Procházet... Soubor nevybrán.

Upload JPEG or PNG images up to 2000x2000 pixels.


Upload

Screenshot name

Image

Strings


About Weblate



Edit

Delete

Addons



Edit

Delete

Fonts

- Limiting length of text is not enough
- What we actually care for is how it is rendered
- That's where we need fonts
- Checks can use this to verify rendering fits

Font groups Fonts

Group name	Default font	Language overrides
source	Source Sans Pro Semibold	Edit

Add font group

Font group name

Identifier you will use in checks to select this font group. Avoid whitespaces and special characters.

Default font

Default font is used unless per language override matches.

[Save](#)

< < Q Strings with any failing checks 1/1 > >|

Zen [Settings]

Translation ↗

English ✎ Context: .januaryShort

Jan 📄

Czech Clone source [Icons]

Leden 5/100

Needs editing 📄

Save Suggest Skip

Nearby strings 4 Nearby keys 4 Comments Machine translation Translation memory Other languages History

Language	Status	Translation	Edit
English	✓	Jan	Edit
German	📄		Edit

Things to check

⚠ Maximum size of translation 1 📄

Leden

Dismiss Dismiss for all languages

Glossary ✎

English Czech

No related strings found in the glossary.

+ Add word to glossary

Source information 📄

Screenshot context ✎
No screenshot currently associated!

Context ✎
.januaryShort

Flags ✎
font-family:source, font-size:16, max-size:35

Source string age
yesterday

Translation file
cs.ison. string 4

Shapings

- Sometimes strings need size dependent variants
- M / Mon / Monday
- Shapings group these for translators

- Basic
- Translation**
- Version control
- Commit messages
- Files

Suggestions

Turn on suggestions

Whether to allow translation suggestions at all.

Suggestion voting

Whether users can vote for suggestions.

Autoaccept suggestions

0

Automatically accept suggestions with this number of votes, use 0 to turn it off.

Translation settings

Allow translation propagation

Whether translation updates in other components will cause automatic translation in this one

Translation flags

font-family:source, font-size:16

Additional comma-separated flags to influence quality checks. Possible values can be found in the documentation.

Shapings regular expression

{Short|Min}\$

Regular expression used to determine shapings of a string.

Save

< < All strings 4 / 4 > >

Zen [Settings]

Source string 🔗

Czech ✎

Leden 📄

Context

.januaryShort

English

Jan 📄

Needs editing ⓘ 3/100

Clone source [Icons]

Save Suggest Skip

Nearby strings 4 Nearby keys 4 **Shapings 3** Comments Other languages History

Context	English	State
.january	January	✓
.januaryMin	J	✓
.januaryShort	Jan	✓

Things to check

Shapings ⓘ

There are 3 shapings for this string.

View

Glossary ✎

English English

No related strings found in the glossary.

+ Add word to glossary

Source information ⓘ

Screenshot context ✎

No screenshot currently associated!

Context ✎

.januaryShort

Flags ✎

font-family:source, font-size:16, max-size:35

Source string age

yesterday

Translation file

en.json, string 4

Addons

- Customization of Weblate
- Adjust file formats
- Automate
- Integrate

Installed addons ⓘ

There are no addons currently installed.

Available addons ⓘ

Automatic translation ⓘ		Install
Cleanup translation files ⓘ		Install
Language consistency ⓘ	project wide	Install
Component discovery ⓘ	repository wide	Install
Flag unchanged translations as "Needs editing" ⓘ		Install
Flag new source strings as "Needs editing" ⓘ		Install
Flag new translations as "Needs editing" ⓘ		Install
Statistics generator ⓘ		Install
Customize JSON output ⓘ		Install
Stale comment removal ⓘ	project wide	Install
Stale suggestion removal ⓘ	project wide	Install

Some addons will ask for additional configuration during installation.

Addons – discovery

- Automate creating of translation components
- Useful for projects with many translation files

Configure addon



Regular expression to match translation files against

`(?P<language>[^\.]*)/(?P<component>[^\.]*)\.po`

File format

gettext PO file

Customize the component name

`{{ component }}`

Define the monolingual base filename

Leave empty for bilingual translation files.

Define the base file for new translations

Filename of file used for creating new translations. For gettext choose .pot file.

Language filter

`^[^\.]+$`

Regular expression to filter translation against when scanning for filemask.

Clone addons from the main component to the newly created ones

Remove components for inexistant files

The regular expression to match translation files has to contain two named groups to match component and language, some examples:

Regular expression	Example matched files	Description
<code>(?P<language>[^\.]*)/(?P<component>[^\.]*)\.po</code>	<code>cs/application.po</code> <code>cs/website.po</code> <code>de/application.po</code>	One folder per language containing translation files for components.

Component	Translated	Untranslated	Untranslated words	Checks	Suggestions	Comments
00a_preface	89%	32	4,092	2	1	Browse
00b_foreword	83%	395	19,350	17		Browse
01_the-debian-project	75%	2,702	70,561	695	1	25 Browse
02_case-study	78%	350	10,424	57	3	23 Browse
03_existing-setup	72%	677	12,509	146	1	1 Browse
04_installation	64%	2,274	62,200	133	11	2 Browse
05_packaging-system	70%	2,093	69,569	486	3	5 Browse
06_apr	70%	3,072	93,391	1,296	5	1 Browse
07_solving-problems	66%	1,092	30,102	228		Browse
08_basic-configuration	57%	6,182	144,026	1,535	174	Browse
09_unix-services	62%	5,052	133,256	1,347		24 Browse
10_network-infrastructure	53%	3,921	101,268	841	102	24 Browse
11_network-services	47%	8,832	195,208	1,198	8	Browse
12_advanced-administration	51%	5,840	235,694	824	2	Browse
13_workstation	54%	2,984	62,038	827	12	Browse
14_security	49%	5,681	185,296	768	4	Browse
15_debian-packaging	48%	2,185	76,684	218	2	Browse
70_conclusion	67%	186	5,913	3	1	Browse
90_derivative-distributions	69%	512	12,419	234	1	1 Browse
92_short-remedial-course	60%	1,588	57,330	193		Browse
99_backcover	84%	29	1,602	1		Browse
99_website	75%	102	1,932	2	4	Browse
Author_Group	87%	12	12	12		Browse
Book_Info	90%	34	570	6		Browse
debian-handbook	✓					Browse
Revision_History	87%	9	12	1		Browse

Add new translation component

Machinery

- Save translators work
- Built in translation memory
- Third-party machine translation services
- Also available as add-on to automate

Strings needing action 1/3

Zen

Translation

English **Context:** .hello

Hello

Czech

Clone source

Needs editing 0/100

Save Suggest Skip

Nearby strings 4 Nearby keys 4 Comments Machine translation Translation memory Other languages History

Translation	Source	Service	Quality		
Dobrý den	Hello	Microsoft Translator	<div style="width: 100%;"></div>	Copy 1	Copy and save
Dobrý den	Hello	Weblate (Your local weather/Strings)	<div style="width: 100%;"></div>	Copy 2	Copy and save
Ahoj	Hello	Google Translate	<div style="width: 90%;"></div>	Copy 3	Copy and save
Ahoj	Hello	Yandex	<div style="width: 90%;"></div>	Copy 4	Copy and save
Haló?	Hello	Baidu	<div style="width: 90%;"></div>	Copy 5	Copy and save
Ahoj dítě.	Hello kid.	Weblate (Andor's Trail/Game content)	<div style="width: 20%;"></div>	Copy 6	Copy and save

Glossary

English Czech

No related strings found in the glossary.

+ Add word to glossary

Source information

Screenshot context
No screenshot currently associated!

Context
.hello

Flags
font-family:source, font-size:16

Source string age
yesterday

Translation file
cs.json, string 1

Find out more

- Weblate (Saturday 20:00, Moeder Lambic Original, Rue de Savoie 68)
- Weblate BoF (J.1.106, Sunday 11:00)
- <https://weblate.org/>